

CAUTION: To reduce the risk of fire, electric shock, or personal injury, mount to outlet box marked "Acceptable For Fan Support" and use mounting screws provided with the outlet box. Most outlet boxes commonly used for the support of lighting fixtures are not acceptable for fan support, and may need to be replaced. Consult a qualified electrician, if in doubt.

ENERGYGUIDE

Estimated
Yearly Energy Cost

\$ 6

Airflow

4,706

Cubic Feet Per Minute

The higher the airflow, the more air the fan will move

Airflow Efficiency: 234 Cubic Feet Per Minute Per Watt

Cost Range of Similar Models (19" - 84")

Based on 12 cents per kWh and 6.4 hours use per day

Your cost depends on rates and USE

Energy use : 20 Watts

All estimates based on typical use, excluding lights

ftc.gov/energy

ENERGY INFORMATION at High Speed (based on 120V/60Hz)		
Airflow	Electricity Use	Airflow Efficiency
6,161	30.5	202
Cubic Feet Per Minute	Watts (excludes lights)	Cubic Feet Per Minute Per Watt
Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.		
Money-Saving Tip: Turn off fan when leaving room		



- Energy Efficient DC Motor
- 6 Speeds, Reversible For Year-Round Use
- Permanently Lubricated Dual Sealed Bearings
- Vaulted or Flat Ceiling Mount
- Maintenance Free
- Easy Do-It-Yourself Installation
- Light Kit Adaptable
- Remote Control Included



Riviera DC


Lifetime Limited Warranty




Performance Series Blades, Packaged Separately, Fit This Model




Riviera DC




Antique Brass




Brushed Gold




Oil Rubbed Bronze



Pure White



Satin Steel



GULF COAST FANS
300 Dunbar Ave
Oldsmar FL 34677

G C F
OLDSMAR
C/NO
P.O. NO.
MADE IN TAIWAN

N.W.: KGS.
G.W.: KGS.