

DF161103 120/05/26 617x344x372mm

ENERGY INFORMATION at High Speed (based on 120V/60Hz)		
Airflow	Electricity Use	Airflow Efficiency
5852	70	83
Cubic Feet Per Minute	Watts (excludes lights)	Cubic Feet Per Minute Per Watt
<small>Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approximately 51 to 176 cubic feet per minute per watt at high speed.</small>		
<small>Money-Saving Tip: Turn off fan when leaving room.</small>		

**NOTICE!**      **NOTICE!**  
When using a wall control, please ask your retailer for a compatible Gulf Coast switch. This ensures the quiet and proper operation of the fan. Another manufacturer's switch can cause the fan to be noisy and may negate the warranty.

**CAUTION:** To reduce the risk of fire, electric shock, or personal injury, mount to outlet box marked "Acceptable For Fan Support" and use mounting screws provided with the outlet box. Most outlet boxes commonly used for the support of lighting fixtures are not acceptable for fan support and may need to be replaced. Consult a qualified electrician if in doubt.

FRAGILE



LUNA




- Suitable For Damp Locations
- Optional Integrated LED Light
- Electrically Reversible
- 4 Contoured Blades.
- Permanently Lubricated and Sealed Daul Bearings
- Vaulted or Flat Ceiling Mount
- Maintenance Free

Gulf Coast Fans  
300 Dunbar Ave.  
Oldsmar, FL 34677


Made in Taiwan

LUNA


Pure White



Brushed Aluminum



Oil Rubbed Bronze



Blades & LED Bulbs  
Are Included In This Package

Speed Controller is Packaged Separately

GCF  
OLDSMAR  
C/NO.  
P.O.  
MADE IN TAIWAN  
N.W. 9.10 KGS  
G.W 10.90 KGS

DF161103